

: Aramco Overseas Company B.V. : Telephone: +31 (0)88 262 2000
: Scheveningseweg 62-66 : Fax: +31 (0)88 262 3000
: 2517 KX The Hague : K.v.K. No. 28040948
: The Netherlands : VAT No.: NL.00.85.87.899.B01

**Aramco Overseas
Company B.V.**



OLIVER VALVES LTD
ATTN: MR. S. RHODES
HAIG ROAD
PARKGATE INDUSTRIAL ESTATE
WA16 8DX KNUTSFORD
UNITED KINGDOM

The Hague, October 22, 2015
AOC Ref: EW/IL107000110223

SUBJECT: PLANT EVALUATION

Vendor ID: 10001269 - Plant ID: 30000035

Dear Sir,

As a result of the plant evaluation conducted on August 25, 2015 we are pleased to inform you that your company is **Approved** and **Approved with limitations** to supply the 9COM material(s) listed in the attachment.

This approval is granted for your manufacturing plant OLIVER VALVES LTD in KNUTSFORD, UNITED KINGDOM.

This approval should not be regarded as a commitment from Aramco Overseas Company (AOC) to purchase from you. However, your company will have the opportunity along with other approved suppliers to respond to requests for quotation in accordance with AOC's established policies and procedures.

We would like to take this opportunity to thank you for your interest in doing business with AOC and Saudi Aramco. Please quote the above referenced Vendor ID and Plant ID in all future correspondence. For any questions regarding this notification please contact inspectionqa@aramcooverseas.com.

Yours faithfully,



Frans de Zwart
Supervisor Supplier Relations Group

It is the responsibility of the manufacturer to notify Aramco Supplier Relations Group of the following:

1. Change of Name/Address
2. Any change of manufacturing location (sub sourcing fabrication of major components)
3. Discontinuance of fabrication of approved 9COMs



Attachment:

Inspection lot: 107000110223

Approved 9COM(s):

9COM	DESCRIPTION
6000015162	VALVE; MONOFLANGE/ SINGLE FLANGE WITH INTEGRAL NEEDLE SHUT OFF TYPE,SIZE 1-13/16 IN,API 6A 10000 SUPPLY,STEEL BODY, 04-SAMSS-049, STYLE SINGLE PIECE BODY, ACTUATED/OPERATED MANUAL.

Approved 9COM(s) with limitations:

9COM	DESCRIPTION
6000015161 *	VALVE BALL; SIZE 1-13/16 IN TO 4-1/16 IN,API 6A 10000 SUPPLY,FLANGED END CONN,STEEL BODY,STYLE TWIN BALL /SPLIT BODY,MANUAL OPERATED, TRUNNION SUPPORT,METAL STEM,04-SAMSS-049,DOUBLE BLOCK & BLEED

*= Limitations: Acceptable for end connection sizes up to and including 2-1/8 inches

Previously approved 9COM(s):

9COM	DESCRIPTION
6000000246 *	VALVE BALL; SIZE NPS 1/4 TO 2 INCH,ANY RATING SUPPLY, SOCKET WELD, THREADED OR SPECIAL ENDS END CONN,STEEL BODY,04-SAMSS-035,04-SAMSS-048,WITH OR WITHOUT ACTUATOR
6000000270	VALVE CHECK; SIZE 1/2 THRU 2 INCH,STEEL BODY, THREADED, SOCKETWELD, FLANGED OR BUTT WELD ENDS END CONN,04-SAMSS-035,04-SAMSS-048
6000000304	VALVE; INSTRUMENT TYPE,SIZE ANY SIZE,ANY PRESSURE RATING SUPPLY,ANY MATERIAL BODY,04-SAMSS-035,04-SAMSS-048
6000000320	VALVE BALL; SIZE UP TO NPS 2,ANY RATING SUPPLY,ANY END END CONN,ANY MATERIAL BODY,STYLE MULTIPORT,04-SAMSS-035,04-SAMSS-048,WITH OR WITHOUT ACTUATOR
6000000335	MANIFOLD VALVE; ENGINEERED, ASSEMBLY VALVE,04-SAMSS-035,04-SAMSS-048, INCLUDING ISOLATION AND BRANCH SERVICE VALVES
6000002768	MANIFOLD VALVE INSTRUMENT; INSTRUMENT OR PRESSURE



6000002865	MANIFOLD VALVE INSTRUMENT; FLOW METER SERVICE
6000013742	VALVE BALL; SIZE UP TO 24 IN,ANSI CL 150 AND UP SUPPLY,FLANGED OR BUTTWELD END CONN,STYLE SPLIT BODY,TRUNNION SUPPORTED SUPPORT,04-SAMSS-048,04-SAMSS-035 04-SAMSS-051,DOUBLE ISOLATION TWIN BALL WITH OR WITHOUT ACTUATOR
6000015163	VALVE; MONOFLANGE/ SINGLE FLANGE WITH INTEGRAL NEEDLE SHUT OFF TYPE,SIZE UP TO 2 IN,UP TO ANSI 2500 SUPPLY,STEEL BODY,METAL SEAT TRIM,04-SAMSS-048,04-SAMSS-035,STYLE SINGLE PIECE BODY, ACTUATED/OPERATED MANUAL

*= Limitations: 6000000246 * - 1 Inch max; 10,000 psi max.