

## Lloyd's Register Type Approval Certificate

This is to certify that the undernoted products have been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System, 2014

This certificate is issued to:

**PRODUCER** 

Circor Energy DBA Circor Instrumentation Technologies DBA Hoke,

Inc.

PLACE OF PRODUCTION

405 Centura Court,

Spartanburg, South Carolina 29303

**USA** 

DESCRIPTION

Adjustable Pressure Reducing Regulators

**TYPE** 

PR-1 Series

APPLICATION

Pressure reduction systems

**DESIGN CODE** 

Lloyd's Register Rules and Regulations for Classification of Ships 2014

Lloyd's Register Rules and Regulations for Offshore Units 2014

**RATINGS** 

Inlet Pressure Psi Outlet Pressure Psi Upto 6000 0 to 750 500° F Minus 40° F

Maximum Temperature Minimum Temperature

316L, Inconel, Monel, Titanium and

Outer pressure containment material Hastelloy

Certificate No.

15/60016

Issue Date

2 Oct 2015

**Expiry Date** 

1 Oct 2020

Sheet

1 of 2

Gopal Nair Lloyd's Register North America Inc.

Lloyd's Register North America Inc. 1330 Enclave Parkway, Suite 200, Houston, Texas, 77077

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



## OTHER CONDITIONS

- 1. Where downstream components are not rated for upstream inlet pressure of the pressure reducing regulator, pressure gauges and suitable relief valves having sufficient capacity should be provided on the downstream side to protect the downstream piping as part of installation.
- 2. Internal components are non- metallic materials and where applicable the effect of exposure to fire should be assessed prior to installation.
- 3. The inlet and outlet connections are threaded type and suitability of threaded connections should be evaluated for each application.

The attached Design Appraisal Document No.15/60016 and its supplementary Type Approval Terms and Conditions form part of this Certificate

## Supplementary Type Approval Terms and Conditions

Type Approval certifies that a representative sample of the product(s) referred to herein have been found to meet the applicable design criteria for the use specified herein. It does not mean or imply approval for any other use, nor approval of any product(s) designed or manufactured otherwise than in strict conformity with the said representative sample.

Type Approval is based on the understanding that the manufacturer's recommendations and instructions and any relevant requirements of the Rules and Regulations are complied with. Type Approval does not eliminate the need for normal inspection and survey procedures required by the Rules and Regulations.

Lloyd's Register North America, Inc. reserves the right to cancel or withdraw this Type Approval Certificate in accordance with the Lloyd's Register Type Approval System Procedure.

Certificate No. 15/60016

Issue Date 2 Oct 2015

Expiry Date 1 Oct 2020

Sheet 2 of 2

Gopal Nair Lloyd's Register North America Inc.

Lloyd's Register North America Inc. 1330 Enclave Parkway, Suite 200, Houston, Texas, 77077

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

<sup>&</sup>quot;This Certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register North America Inc. of any modification or changes to the equipment in order to obtain a valid certificate."