



GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
(Formerly Department of Explosives)
CGO COMPLEX SEMINARY HILLS
NAGPUR 440006



SPEED POST

Letter No: A/P/HQ/MH/104/2277(P264260)

Email :explosives@explosives.gov.in

Phone/Fax No.2510248/2510577

Dated : 7/2/2011

To

M/s. Westlock Controls Limited,
 22, Chapman Way,
 Tunbridge Wells,
 Kent TN2 3EF,
 UK.

Sub :Approval of SELECT Westlock products.

Dear Sir(s),

Please refer to letter No CT/CCOE/2/R1 dated 25/01/2011 from M/s. CONTROL Teknics,CHENNAI, on the above subject.

The following Intrinsically Safe equipment(s) manufactured by you according to EN 60079-0 : 2006 & EN 60079-11:2007 & N 60079-26:2007 standards and covered under Sira/Epsilon Test reports mentioned below are approved for use in Zone 1 of Gas Group IIB/IIC hazardous areas coming under the purview of the Petroleum Rules, 2002 administered by this Organization.

Sr.No	Description	Safety Protection	CCEs Identification Number	Test House	Test Report No.	Drawing Numbers
1	3000 Series Valve Position Monitor.	Ex ia IIC T*	P264260/1	Sira	Sira 05ATEX2242X Dt.28/5/2010	As per Test Report
2	3300 Series and 8300 eries Position Monitors, 3600 Series and 8600 Series Control Monitors.	Ex ia II	P264260/2	Sira	Sira09ATEX2147X Dt.28/8/2009	as per Test Report
3	2600 Series Valve Position Monitor.	Ex d IIC T*	P264260/3	Epsilon	Epsilon 08 ATEX 2372X Dt.1/4/2008	As per Test Report
4	2200 Series Valve Position Monitor.	Ex d IIB + H2 T*	P264260/4	Epsilon*	Epsilon 08 ATEX 2370X Dt.25/7/2008	As per Test Report

This Approval is granted subject to observance of the following conditions:-

- 1). The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Sira/Epsilon Test Reports referred to above
- 2). The equipment shall be used only with approved type of accessories and associated apparatus
- 3). The equipment shall be used only in conjunction with the approved Intrinsically Safe barriers
- 4). Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified

- (c) Number & Date of the test Report of the Sira/Epsilon applicable to the equipment
(d) CCEs Identification Number of this letter by which use of the apparatus is approved
- 5). A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Sira/Epsilon test report and is identical with the one tested and certified at Sira/Epsilon shall be furnished with each equipment
 - 6). The customer shall be supplied the copy of this letter, an extract of the conditions and maintenance schedule, if any recommended by Sira/Epsilon in their test reports and copy of instructions booklet detailing operation and maintenance of the equipment so as to maintain its Intrinsically Safe safety characteristics
 - 7). The After sales service and maintenance of subject equipment shall be looked after by your representative M/s. CONTROL Teknics, 5, Aboorva Flats, Old No.6, New No.11, 7th Main Rkoad, Raja Annamalaipuram, CHENNAI, CHENNAI (Dist.) , Tamil Nadu (State)

This Approval also covers the permissible variation as approved under the Sira/Epsilon test report referred above .This approval may be deemed to have been revoked with immediate effect at any time, if any of the conditions subject to which approval has been granted is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users /your customers of the subject equipment may please be collected and furnished to this office for verification and record at regular intervals.

This approval is otherwise valid a period of five years from the date of issue.

Yours faithfully,


(R.A.GUJAR)

Controller of Explosives
for Chief Controller of Explosives
Nagpur

Copy to :

1. The Jt. Chief Controller of Explosives, West Circle, Mumbai; East Circle, KolKata; South Circle, Chennai; North Circle, Faridabad; Central Circle, Agra.
2. M/s. CONTROL Teknics, 5, Aboorva Flats, Old No.6, New No.11, 7th Main Rkoad, Raja Annamalaipuram, CHENNAI, Distt. CHENNAI(Tamil Nadu)


for Chief Controller of Explosives